



JULY 2025 INVENTORY

MID COUNTRY MACHINERY

1-800-206-5936 www.midcountrymachinery.com




HITACHI FINANCING SPECIALS AVAILABLE ON SELECT MODELS

BREWERTON, NY | DES MOINES, IA | FORT DODGE, IA | SIOUX CITY, IA | WATERLOO, IA



SALESMEN TERRITORY

Whether you are in search of top-quality heavy equipment for sale, exploring flexible rental options, or in need of swift and reliable service, our skilled sales representatives are strategically positioned across regions to serve you better.



BRAD BURKE
712-253-0177
bradb@midcountry.com

DOUG MILLER
712-253-7573
doug@midcountry.com

ZACH MCCONNELL
515-576-9737
zachm@midcountry.com

JACOB CONAWAY
319-415-4383
jacob@midcountry.com

RUSTY GIBBS
515-460-4486
rustyg@midcountry.com

TIM PLAGGE
319-415-8488
timp@midcountry.com

BOB EDWARDS
319-361-3135
bobe@midcountry.com

RANDY REINERS
319-560-9009
randyr@midcountry.com

WARRANTY: 2 YEARS/2000 HOURS FULL MACHINE

SKID LOADERS

- 2024 ASV RT75 COMPACT TRACK LOADER, 8 HRS.**.....\$CALL
 STK#: ASV21, 74 HP, CUMMINS QSF2.8, DIESEL, 4-CYLINDER, INTERCOOLED, CAB W HEAT & AC, SUSPENSION SEAT, HIGH FLOW, RIDE CONTROL, HYD COUPLER, OPERATING CAPACITY: 2,750 LBS, TIPPING LOAD: 7,857 LBS, HEIGHT TO BUCKET PIN: 125.5", 2 SPEED, MAX TRAVEL SPEED: 9.3 MPH, GROUND CLEARANCE: 14.4", TRACK WIDTH: 18".
- 2024 ASV RT75 SKID LOADER, 186 HOURS.**.....\$CALL
 STK#: ASV26, 74HP CUMMINS DIESEL ENGINE, PREMIIUM, EROPS W HEAT & AC, 2 SPEED, 18" ALL SEASON TRACKS, GROUND PRESSURE: 3.5 PSI, HIGH FLOW 35.7 PGM, RIDE CONTROL, TIPPING LOAD: 7,857 LBS, OP WEIGHT: 9,060 LBS, TRANSPORTATION WIDTH: 70", 72" DIRT BUCKET WITH BOCE.
- 2024 ASV RT75 SKID LOADER, 0 HOURS.**.....\$CALL
 STK#: ASV28, 74HP DIESEL ENGINE, EROPS W HEAT & AC, 2 SPEED, HIGH FLOW, 18" TRACKS, RIDE CONTROL, TIP LOAD: 7,857 LBS, OP. WEIGHT: 9,060 LBS, TRANSPORTATION WIDTH: 70", 72" DIRT BUCKET WITH BOCE.
- 2024 ASV VT 100 FORESTRY, 178 HRS.**.....\$CALL
 STK#: ASV29, 103.5 HP DIESEL ENGINE, ALL WEATHER CAB WITH CURVED GLASS, ELECTRONIC JOYSTICK CONTROLS, ISO AND H PATTERN, 2 SPEED HIGH FLOW HYDRAULICS, 20" RUBBER TRACKS, TIPPING LOAD: 11,714 LBS, OPERATING WEIGHT: 11,570 LBS, TRANSPORTATION WIDTH: 78".
- 2024 ASV RT75 SKID LOADER, 101 HRS.**.....\$CALL
 STK#: ASV27, 74HP CUMMINS DIESEL ENGINE, EROPS W HEAT & AC, 2 SPEED, HIGH FLOW, 18" TRACKS, RIDE CONTROL, TIPPING LOAD: 7,857 LBS, OP WEIGHT: 9,060 LBS, TRANSPORTATION WIDTH: 70", 72" DIRT BUCKET WITH BOCE.
- 2024 ASV VT 100 TRACK SKID LOADER, 4 HRS.**.....\$CALL
 STK#: ASV30, 103.5 HP DIESEL ENGINE, ELECTRONIC JOYSTICK CONTROLS, ISO AND H PATTERN, 2 SPEED HIGH FLOW HYDRAULICS, 20" RUBBER TRACKS, OPERATING CAPACITY: 4,100 LBS, TIPPING LOAD: 11,714 LBS, OPERATING WEIGHT: 11,570 LBS, TRANSPORTATION WIDTH: 78", 78" DIRT BUCKET WITH BOCE.
- 2025 ASV RT40 COMPACT TRACK LOADER.**.....\$CALL
 STK#: ASV33, OPERATING WEIGHT: 4005 LBS, ENGINE TYPE: DIESEL, 3 CYLINDER TURBO CHARGED, ENGINE MODEL: YANMAR 3TNV86CT, ENGINE POWER: 38.2 HP, LENGTH 112.7 IN., WIDTH 48.3 IN., HEIGHT 75.5 IN., ALL WEATHER CAB.

CASE

SKID LOADERS

- 2023 CASE SV280B SKID LOADER, 615 HRS.**.....\$49,000
 STK#: CSE200, 74HP DIESEL ENGINE, EROPS W HEAT & AC, HYDRAULIC COUPLER, HIGH FLOW, 12 X 16.5 TIRES, TIPPING LOAD: 5,600 LBS, OP WEIGHT: 8,000 LBS, MACHINE WIDTH: 70", 78" BUCKET.
- 2013 CASE TR320 SKID LOADER, 3332 HRS.**.....\$29,000
 STK#: CSE206, FPT F5H FL413 ENGINE, GROSS POWER: 90 HP, RATED OPERATING CAPACITY: 3,200 LBS, OPERATING WEIGHT: 9,600 LBS, TIPPING LOAD: 6,400 LBS, OVERALL LENGTH: 12.7 FEET, WIDTH: 6.5 FEET, HEIGHT: 6.7 FEET.
- 2012 CASE SR200 RUBBER TIRE SKID LOADER, 3741 HRS.**.....\$CALL
 STK#: CSE207, CASE 432T/M3, GROSS HORSEPOWER: 74 HP, RATED OPERATING CAPACITY: 2,000 LBS, TIPPING LOAD: 4,000 LBS, LENGTH: 8.8 FEET, WIDTH: 5.8 FEET, HEIGHT: 6.5 FEET, OPERATING WEIGHT: 6,900 LBS.

CATERPILLAR

BACKHOES

- 2021 CATERPILLAR 420 BACKHOE, 1123 HRS.**.....\$132,500
 STK#: CAT1560, CAT C3.6 92 HP, TIER 4F, EROPS WITH AC, DIG DEPTH: 14', 4WD, 340/80-18 FRONT TIRES, 500/70-24 REAR TIRES, OPERATING WEIGHT: 24,251 LBS, COLD WEATHER PACKAGE, RIDE CONTROL.
- 2019 CAT 450 LOADER BACKHOE, 855 HRS.**.....\$135,000
 STK#: CAT1606, 104 HP, ENGINE MODEL: CATERPILLAR C4.4 ACERT, OPERATING WEIGHT: 29321 LB, LENGTH: 23' 8", HEIGHT: 11' 6", WHEELBASE: 6'9", LIFT HEIGHT: 13' 3", DIGGING DEPTH: 14' 1", ARM REACH: 19' 10", MAX SPEED: 25 MPH, MP BUCKET, EROPS A/C, RIDE CONTROL, FRONT AND REAR QC.

DOZERS

- 2019 CATERPILLAR D6KLG DOZER, 3319 HRS.**.....\$139,000
 STK#: CAT1607, ENGINE MODEL: CAT C7.1 ACERT, ENGINE POWER: 155 H, OPERATING WEIGHT: 45,700 LBS, LENGTH: 19.0 FEET, WIDTH: 9.8 FEET, HEIGHT: 11.3 FEET, EROP, AC/HEAT, SIX WAY BLADE, WIDE PADS.
- 2022 CAT D3 LGP DOZER, 2310 HRS.**.....\$137,500
 STK#: CAT1585, CAT 104HP DIESEL ENGINE, EROPS W HEAT & AC, 6 WAY BLADE, SWEEPS, REAR SCREEN, OP WEIGHT: 21,369 LBS, CAT GRADE CONTROL, ACCUGRADE READY.
- 2021 CAT D6 LGP DOZER, 4303 HRS.**.....\$309,000
 STK#: CAT1584, CAT DIESEL ENGINE, EROPS W HEAT & AC, 6 WAY BLADE, 30" TRACKS, REAR HYDRAULICS, DRAWBAR, REAR CAMERA, EARTHWORKS 3D GRADE W/ ASSIST, ACCUGRADE READY.
- 2019 CAT D5K2LGP DOZER, 1523 HRS.**.....\$167,000
 STK#: CAT1562, CAT C4.4 ACERT 104HP, TIER 4F, EROPS W HEAT & AC, 6 WAY BLADE, 30" TRACKS, OP. WEIGHT: 21,442 LBS, TRANSPORT WIDTH: 115"
- 2019 CAT D6 LGP DOZER, 6405 HRS.**.....\$240,000
 STK#: CAT1601, CAT C9.3B, NET POWER: 215 HP, EMISSIONS: EPA TIER 4 FINAL AND EU STAGE V, OPERATING WEIGHT: 51,912 LB, LENGTH: 17.4 FT, HEIGHT: 11.3 FT, REAR SCREEN, EROPS W HEAT & AC.
- 2018 CAT D6T VPAT DOZER, 5297 HRS.**.....\$242,000
 STK#:CAT1593, CAT C9.9 ENGINE, 28" TRACKS, HYDRAULICS, WINCH/RIPPER, ACCUGRADE READY, EROPS W AC, REAR SCREEN.
- 2017 CAT 963K CRAWLER DOZER, 5288 HOURS.**.....\$173,000
 STK#: CAT1590, CAT C7.1 ACERT DIESEL ENGINE, 221HP, EROPS W HEAT & AC, LOAD SENSING HYDRAULICS, POSITION SENSING CYLINDER, AUTOMATIC KICK OUT TECHNOLOGY RUGGED SEVERE GP BUCKET, MULTI-SHANK REAR RIPPER

CATERPILLAR CONTINUED

SKID LOADERS

2020 CATERPILLAR 289D3 SKID LOADER, 798 HRS.....\$79,000
 STK#: CAT1543, CAT TIER 4, 74.3 HP, EROPS W HEAT & AC, RIDE CONTROL, HI-FLOW HYDRUALICS, 2 SPEED, 17.7" RUBBER TRACKS, OP WEIGHT: 10,688 LBS, TRANSPORT WIDTH: 78", TIPPING LOAD: 8,255 LBS.

2020 CAT 246D3 SKID LOADER, 3800 HRS.....\$35,000
 STK#: CAT1599, CAB W/ HEAT & A/C, 2 SPEED HYDRUALICS, RADIO, GENERAL PURPOSE BUCKET.

WHEEL LOADERS

2019 CAT 938M RUBBER TIRED LOADER, 5444 HRS.....\$126,500
 STK#: CAT1603, CAT DIESEL ENGINE, EROPS W HEAT & AC, GP BUCKET.

2021 CATERPILLAR 926M WHEEL LOADER, 599 HRS.....\$175,000
 STK#: CAT1594, CAT DIESEL ENGINE, EROPS W HEAT & AC, QUICK COUPLER, 2.7 YD, 99IN GP BUCKET, 20.5R25 RUBBER TIRES, OPERATING WEIGHT: 28,193 LBS, TRANSPORT WIDTH: 8' 4".

BACKHOES



2019 440

DOZERS



2019 D5K2 LGP



2021 D6 LGP

SKID LOADERS



2020 289D3

GEHL

WARRANTY: 24 MONTHS OR 2000 HOURS

SKID LOADERS

2023 GEHL RT215 TRACK LOADER, 119 HRS.....\$69,500
 STK#: GHL168, YANMAR 72 HP, TIER 4, EROPS WITH HEAT & AC, STANDARD ISO PATTERN, STANDARD FLOW HYDRAULICS, 17.7" RUBBER TRACKS, 74", 16.1 CUFT HD BUCKET, OP WEIGHT: 9,900 LBS, TRANSPORTATION WIDTH: 69.5", TIPPING LOAD: 6,144 LBS, TELEMATICS, SELF LEVELING HYDRAULIC LIFT ACTION, REAR CWT, 4 SEASON TRACKS.

2020 GEHL V270 SKID LOADER 74" BUCKET BOCE, 345 HRS.....\$49,000
 STK#: GHL146, CAB WITH HEATING & A/C, JOYSTICK W/ HYDRAULIC SELF-LEVELING, TWO SPEED W/ HYDRAULIC, HIGH BACK SEAT WITH AIR RIDE SUSPENSION, HIGH FLOW, 12.00 X 16.5 12-PLY HEAVY DUTY TIRES, BACK-UP ALARM, ENGINE BLOCK HEATER, REAR CAMERA, TELEMATICS, BUCKET: 74", CUTTING EDGE, BOLT.

HITACHI

WARRANTY: 2 YEAR/ 2,000 HOUR FULL MACHINE WARRANTY

FINANCING: 0% FOR 72 MONTHS: ZX17-ZX135 (EXCAVATORS) & ZW30-ZW120 (LOADERS) | 0% FOR 60 MONTHS: ZX160-ZX890 (EXCAVATORS) & ZW140-ZW550 (LOADERS)

EXCAVATORS

2025 ZX135US-7H EXCAVATOR, 6 HRS.....\$CALL
 STK#: HIT264, 100 HP ISUZU AR-4JJ1X DIESEL ENGINE.

2024 ZX160-7 EXCAVATOR, 5 HRS.....\$CALL
 STK#: HIT114, CAB W/ HEAT & AC, 2 WAY PATTERN CHANGER, STD ARM 10'1", AUX HYDRAULICS, ISUZU 4JJ1X ENGINE W/ 110 HORSEPOWER, 39,242 LBS OPERATING WEIGHT, 28'4" LENGTH, 8'9" WIDTH, 10'2" HEIGHT.

2024 ZX160-7 EXCAVATOR, 11 HR.....\$CALL
 STK#: HIT115, CAB W/ HEAT & AC, 2 WAY PATTERN CHANGER, STD ARM 10'1", AUX HYDRAULICS, ISUZU 4JJ1X ENGINE W/ 110 HORSEPOWER, 39,242 LBS OPERATING WEIGHT, 28'4" LENGTH, 8'9" WIDTH, 10'2" HEIGHT.

2021 ZX210LC-6N EXCAVATOR, 1256 HRS.....\$169,000
 STK#: HIT196, DIESEL ENGINE, EROPS W HEAT & AC, HITACHI TOPCON GRADE CONTROL W MONITOR, 9' 7" STICK, AUX HYDRAULICS, 32" TRACKS.

2023 ZX210LC-6 EXCAVATOR, 458 HRS.....\$CALL
 STK#: HIT117, CAB W/ HEAT & AC, 2 WAY PATTERN CHANGER, STD ARM 9'6", AUX HYDRAULICS, ISUZU 4HK1 ENGINE W/ 160 HORSEPOWER, 48,722 LBS OPERATING WEIGHT, 31'8" LENGTH, 9'9" WIDTH, 9'10" HEIGHT.

2025 ZX210LC-7 EXCAVATOR, 8 HRS.....\$CALL
 STK#: HIT228, 164 HP ISUZU 4HK1 DIESEL ENGINE, CAB W/ HEAT & A/C, 9' 7" ARM, 18' 8" BOO, MAX DIG DEPTH: 21' 11", HEAVY DUTY TRACK FRAME UNDERCOVER, TRIPLE GROUSER 32" STEEL TRACKS, OVERALL WIDTH: 10' 6", OPERATING WEIGHT: 49,833 LBS

2025 ZX210LC-7 EXCAVATOR, 9 HRS.....\$CALL
 STK#: HIT229 164 HP ISUZU 4HK1 DIESEL ENGINE, CAB W/ HEAT & A/C, 9' 7" ARM, 18' 8" BOO, MAX DIG DEPTH: 21' 11", HEAVY DUTY TRACK FRAME UNDERCOVER, TRIPLE GROUSER 32" STEEL TRACKS, OVERALL WIDTH: 10' 6", OPERATING WEIGHT: 49,833 LBS

2020 ZX225USLC-6 EXCAVATOR, 1399 HRS.....\$136,000
 STK#: HIT129, CAB W/ HEAT & AC, QUICK COUPLER, 48" DIGGING BUCKET.

HITACHI CONTINUED

EXCAVATORS

- 2024 ZX245USLC-7 SR EXCAVATOR, 36 HRS.....\$CALL**
 STK#: HIT121, CAB W/ HEAT & AC, 2 WAY PATTERN CHANGER, STD ARM 9'6", AUX HYDRAULICS, ISUZU 4HK1 ENGINE W/ 159 HORSEPOWER, 55,997 LBS OP WEIGHT, 29'10" LENGTH, 10'1" WIDTH, 9'9" HEIGHT.
- 2023 ZX250LC-6 EXCAVATOR, 1106 HRS.....\$205,000**
 STK#: HIT257, ENGINE MODEL: ISUZU 4HK1, 177 HP, FINAL TIER 4 / EU STAGE IV, OPERATING WEIGHT 55,689 LBS, LENGTH: 34.36 FT, HEIGHT: 11.06 FT, WIDTH 10.47 FT, MAXIMUM DIGGING DEPTH: UP TO 24.97 FT, MAXIMUM REACH AT GROUND LEVEL: UP TO 35.27 FT
- 2025 ZX300LC-7 EXCAVATOR, 6 HRS.....\$CALL**
 STK#: HIT232, 249 HP ISUZU 6HK1X DIESEL ENGINE, CAB W/ HEAT & A/C, 12' 4" ARM, 20' 4" BOOM, MAX DIG DEPTH: 25' 10", TRIPLE GROUSER 32" STEEL TRACKS, WIDTH: 11' 1", OPERATING WEIGHT: 69,005 LBS.
- 2025 ZX350LC-7 EXCAVATOR, 8 HRS.....\$CALL**
 STK#: HIT231, 164 HP ISUZU 4HK1 DIESEL ENGINE, CAB W/ HEAT & A/C, 9' 7" ARM, 18' 8" BOOM, MAX DIG DEPTH: 21' 8", TRIPLE GROUSER 32" STEEL TRACKS, HEAVY DUTY TRACK FRAME UNDERCOVER, LED WORKING LIGHTS, AIR SUSPENSION SEAT W/ HEATER, BLUETOOTH RADIO W/ SPEAKERS, 8" MONITOR, WIDTH: 10' 6", OPERATING WEIGHT: 56,669 LBS
- 2025 ZX350LC-7 EXCAVATOR, 11 HRS.....\$CALL**
 STK#: HIT265, 164 HP ISUZU 4HK1 DIESEL ENGINE, CAB W/ HEAT & A/C, 9' 7" ARM, 18' 8" BOOM, MAX DIG DEPTH: 21' 8", TRIPLE GROUSER 32" STEEL TRACKS, HEAVY DUTY TRACK FRAME UNDERCOVER, LED WORKING LIGHTS, AIR SUSPENSION SEAT W/ HEATER, BLUETOOTH RADIO W/ SPEAKERS, 8" MONITOR, WIDTH: 10' 6", OPERATING WEIGHT: 56,669 LBS
- 2024 ZX490LC-6 EXCAVATOR, 592 HRS.....\$409,000**
 STK#: HIT193, ISUZU 362 HP DIESEL ENGINE, TIER 4F, 12' 10" ARM, AUX HYDRAULICS, 36" TRACKS, DIG DEPTH: 27' 2", MAX RECH @ GROUND LEVEL: 40' 3", OP WEIGHT: 109,790 LBS, TRANSPORTATION WIDTH: 12' 5", 2 WAY PATTERN CHANGER.
- 2024 ZX490LC-6 EXCAVATOR, 4 HRS.....\$CALL**
 STK#: HIT192, ISUZU 362 HP DIESEL ENGINE, TIER 4F, 12' 10" ARM, AUX HYDRAULICS, 36" TRACKS, DIG DEPTH: 27' 2", MAX REACH @ GROUND LEVEL: 40' 3", OP WEIGHT: 109,790 LBS, TRANSPORTATION WIDTH: 12' 5", 2 WAY PATTERN CHANGER.
- 2024 ZX690LC-7 EXCAVATOR, 0 HRS.....\$CALL**
 STK#: HIT191, ISUZU 463 HP DIESEL ENGINE, TIER 4F, 36" TRACKS, 13' 9" ARM, DIG DEPTH: 30', MAX REACH @ GROUND LEVEL: 44' 8", OP WEIGHT: 151,237 LBS, WIDTH: 14' 4".

EXCAVATORS



2024 ZX135US-7H



2024 ZX160-7



2023 ZX210LC-6



2020 ZX225USLC-6



2024 ZX490LC-6

MINI EXCAVATORS

- 2014 HITACHI ZX35 MINI EXCAVATOR, 4482 HRS.....\$CALL**
 STK#: HIT250, YANMAR 3TNV88, NET POWER: 28.1 HP, OPERATING WEIGHT: 8,135 LBS, MAX DIGGING DEPTH: 10 FT 0 IN, MAX REACH AT GROUND LEVEL: 17 FT 0 IN, MAX DUMP HEIGHT: 11 FT 7 IN, TRACK WIDTH: 11.8 IN.
- 2015 HITACHI ZX35 MINI EXCAVATOR, 4443 HRS.....\$CALL**
 STK#: HIT251, YANMAR 3TNV88, NET POWER: 28.1 HP, OPERATING WEIGHT: 8,135 LBS, MAX DIGGING DEPTH: 10 FT 0 IN, MAX REACH AT GROUND LEVEL: 17 FT 0 IN, MAX DUMP HEIGHT: 11 FT 7 IN, TRACK WIDTH: 11.8 IN.
- 2016 HITACHI ZX17 MINI EXCAVATOR, 1827 HRS.....\$16,000**
 STK#: HIT254, YANMAR 3TNV74F, NET POWER: 14.7 HP, OPERATING WEIGHT 3,790 LBS, MAXIMUM DIGGING DEPTH: 7 FT 2 IN, MAXIMUM REACH AT GROUND LEVEL: 12 FT 6 IN, MAXIMUM DUMPING HEIGHT: 8 FT 3 IN, OVERALL LENGTH: 11 FT 10 IN, OVERALL WIDTH: 3 FT 3 IN, OVERALL HEIGHT: 7 FT 11 IN.
- 2017 HITACHI ZX35 MINI EXCAVATOR, 3168 HRS.....\$CALL**
 STK#: HIT252, YANMAR 3TNV88F, NET POWER: 23.3 HP, OPERATING WEIGHT 7,584 LBS, MAXIMUM DIGGING DEPTH: 10 FT 0 IN, MAXIMUM REACH AT GROUND LEVEL: 17 FT 0 IN, MAXIMUM DUMP HEIGHT: 11 FT 1 IN, OVERALL LENGTH: 14.6 FT, OVERALL WIDTH: 5.1 FT, OVERALL HEIGHT: 8.2 FT, GROUND CLEARANCE: 1.2 FT.
- 2023 ZX17U-5N MINI EXCAVATOR, 12 HRS.....\$CALL**
 STK#: HIT61, CANOPY, STANDARD ARM 3'1", RUBBER TRACKS, AUX HYDRAULICS/FOOT CONTROL, YANMAR 3TNV74F ENGINE W/15 HP, BLADE, 3792 LBS OP WEIGHT, 11'6" LENGTH, 3'2"-WIDTH, 7'9"-HEIGHT.
- 2023 ZX30U-5N MINI EXCAVATOR, 18 HRS.....\$CALL**
 STK#: HIT67, OROPS, STANDARD ARM 3'10", RUBBER TRACKS, AUX HYDRAULICS, YANMAR 3TNV88 ENGINE W/ 24 HORSEPOWER, BLADE, 6680 LBS OP WEIGHT, 14'7" LENGTH, 5'1" WIDTH, 8'2" HEIGHT.
- 2023 ZX30U-5N MINI EXCAVATOR, 19 HRS.....\$CALL**
 STK#: HIT68, OROPS, STANDARD ARM 3'10", RUBBER TRACKS, AUX HYDRAULICS, YANMAR 3TNV88 ENGINE W/ 24 HORSEPOWER, BLADE, 6680 LBS OP WEIGHT, 14'7" LENGTH, 5'1" WIDTH, 8'2" HEIGHT.
- 2024 ZX35U-5N MINI EXCAVATOR, 64 HRS.....\$CALL**
 STK#: HIT79, CAB W/ HEAT AND AC, LONG ARM 4'4", AUX HYDRAULICS, YANMAR 3TNV88 ENGINE W/ 24 HORSEPOWER, BLADE, RUBBER TRACKS, 7959 LBS OPERATING WEIGHT, 15'2" LENGTH, 5'8" WIDTH, 8'1" HEIGHT.
- 2024 ZX35U-5N MINI EXCAVATOR, 35 HRS.....\$CALL**
 STK#: HIT80, CAB W/ HEAT AND AC, LONG ARM 4'4", AUX HYDRAULICS, YANMAR 3TNV88 ENGINE W/ 24 HORSEPOWER, BLADE, RUBBER TRACKS, 7959 LBS OPERATING WEIGHT, 15'2" LENGTH, 5'8" WIDTH, 8'1" HEIGHT.
- 2024 ZX35U-5N MINI EXCAVATOR, 29 HRS.....\$CALL**
 STK#: HIT93, EROPS, STANDARD ARM 4'4", RUBBER TRACKS, AUX HYDRAULICS, YANMAR 3TNV80F ENGINE W/24 HORSEPOWER, BLADE, 7959 LBS OPERATING WEIGHT, 15'2" LENGTH, 5'8" WIDTH, 8'1" HEIGHT.
- 2023 ZX35U-5N MINI EXCAVATOR, 25 HRS.....\$CALL**
 STK#: HIT91, OROPS, STANDARD ARM 4'4", RUBBER TRACKS, AUX HYDRAULICS, YANMAR 3TNV80F ENGINE W/24 HORSEPOWER, BLADE, 7959 LBS OPERATING WEIGHT, 15'2" LENGTH, 5'8" WIDTH, 8'1" HEIGHT.

HITACHI CONTINUED

MINI EXCAVATORS

2025 ZX17U-5N MINI EXCAVATOR, 21 HRS	\$CALL
STK#: HIT208, 14.7 HP YANMAR 3TNV74F DIESEL ENGINE, CANOPY, 9" RUBBER TRACKS, 5.3 GAL FUEL TANK, 3' 1" ARM LENGTH, 6' 0" BOOM LENGTH, MAX DIGGING DEPTH: 7' 2" LED WORK LIGHTS, MANUAL WEDGE COUPLER, DOZER BLADE, BATTERY DISCONNECT, MIN WIDTH: 3' 3", MAX WIDTH: 4' 2", OPERATING WEIGHT: 3,790 LBS	
2025 ZX17U-5N MINI EXCAVATOR, 0 HRS	\$CALL
STK#: HIT209, 14.7 HP YANMAR 3TNV74F DIESEL ENGINE, CANOPY, 9" RUBBER TRACKS, 5.3 GAL FUEL TANK, 3' 1" ARM LENGTH, 6' 0" BOOM LENGTH, MAX DIGGING DEPTH: 7' 2" LED WORK LIGHTS, MANUAL WEDGE COUPLER, DOZER BLADE, BATTERY DISCONNECT, MIN WIDTH: 3' 3", MAX WIDTH: 4' 2", OPERATING WEIGHT: 3,790 LBS	
2025 ZX35U-5N MINI EXCAVATOR, 32 HRS	\$CALL
STK#: HIT211, 23.7 HP YANMAR 3TNV88F DIESEL ENGINE, CAB W/ HEAT & A/C, 12" RUBBER TRACKS, DOZER BLADE, LED WORK LIGHTS, USB POWER OUTLET, 5' 8" ARM, 8' 1" BOOM, MAX DIG DEPTH: 11' 4", OVERALL WIDTH: 5' 9", OVERALL WEIGHT: 8,532 LBS, MANUAL WEDGE COUPLER.	
2025 ZX35U-5N MINI EXCAVATOR, 5 HRS	\$CALL
STK#: HIT213, 23.7 HP YANMAR 3TNV88F DIESEL ENGINE, CAB W/ HEAT & A/C, 12" RUBBER TRACKS, DOZER BLADE, LED WORK LIGHTS, USB POWER OUTLET, 5' 8" ARM, 8' 1" BOOM, MAX DIG DEPTH: 11' 4", OVERALL WIDTH: 5' 9", OVERALL WEIGHT: 8,532 LBS, MANUAL WEDGE COUPLER.	
2025 ZX35U-5N MINI EXCAVATOR, 45 HRS	\$CALL
STK#: HIT214, 23.7 HP YANMAR 3TNV88F DIESEL ENGINE, CAB W/ HEAT & A/C, 12" RUBBER TRACKS, DOZER BLADE, LED WORK LIGHTS, USB POWER OUTLET, 5' 8" ARM, 8' 1" BOOM, MAX DIG DEPTH: 11' 4", OVERALL WIDTH: 5' 9", OVERALL WEIGHT: 8,532 LBS, MANUAL WEDGE COUPLER.	
2025 ZX35U-5N MINI EXCAVATOR, 10 HRS	\$CALL
STK#: HIT215, 23.7 HP YANMAR 3TNV88F DIESEL ENGINE, CAB W/ HEAT & A/C, 12" RUBBER TRACKS, DOZER BLADE, LED WORK LIGHTS, USB POWER OUTLET, 5' 8" ARM, 8' 1" BOOM, MAX DIG DEPTH: 11' 4", OVERALL WIDTH: 5' 9", OVERALL WEIGHT: 8,532 LBS, MANUAL WEDGE COUPLER.	
2025 ZX35U-5N MINI EXCAVATOR, 22 HRS	\$CALL
STK#: HIT216, 23.7 HP YANMAR 3TNV88F DIESEL ENGINE, CAB W/ HEAT & A/C, 12" RUBBER TRACKS, DOZER BLADE, LED WORK LIGHTS, USB POWER OUTLET, 5' 8" ARM, 8' 1" BOOM, MAX DIG DEPTH: 11' 4", OVERALL WIDTH: 5' 9", OVERALL WEIGHT: 8,532 LBS, MANUAL WEDGE COUPLER.	
2025 ZX35U-5N MINI EXCAVATOR, 16 HRS	\$CALL
STK#: HIT217, 23.7 HP YANMAR 3TNV88F DIESEL ENGINE, CAB W/ HEAT & A/C, 12" RUBBER TRACKS, DOZER BLADE, LED WORK LIGHTS, USB POWER OUTLET, 5' 8" ARM, 8' 1" BOOM, MAX DIG DEPTH: 11' 4", OVERALL WIDTH: 5' 9", OVERALL WEIGHT: 8,532 LBS, MANUAL WEDGE COUPLER.	
2025 ZX35U-5N MINI EXCAVATOR, 58 HRS	\$CALL
STK#: HIT218, 23.7 HP YANMAR 3TNV88F DIESEL ENGINE, CAB W/ HEAT & A/C, 12" RUBBER TRACKS, DOZER BLADE, LED WORK LIGHTS, USB POWER OUTLET, 5' 8" ARM, 8' 1" BOOM, MAX DIG DEPTH: 11' 4", OVERALL WIDTH: 5' 9", OVERALL WEIGHT: 8,532 LBS, MANUAL WEDGE COUPLER.	
2025 ZX35U-5N MINI EXCAVATOR, 26 HRS	\$CALL
STK#: HIT219, 23.7 HP YANMAR 3TNV88F DIESEL ENGINE, CAB W/ HEAT & A/C, 12" RUBBER TRACKS, DOZER BLADE, LED WORK LIGHTS, USB POWER OUTLET, 5' 8" ARM, 8' 1" BOOM, MAX DIG DEPTH: 11' 4", OVERALL WIDTH: 5' 9", OVERALL WEIGHT: 8,532 LBS, MANUAL WEDGE COUPLER.	
2025 ZX50U-5N MINI EXCAVATOR, 5 HRS	\$CALL
STK#: HIT221, 36.8 HP YANMAR 4TNV88C DIESEL ENGINE, CAB W/ HEAT & A/C, 5' 7" ARM, 9' 4" BOOM, MAX DIG DEPTH: 12' 7", 16" RUBBER TRACKS, DOZER BLADE, MANUAL WEDGE COUPLER, OVERALL WIDTH: 5' 7", OPERATING WEIGHT: 11,341 LBS.	
2025 ZX50U-5N MINI EXCAVATOR, 113 HRS	\$CALL
STK#: HIT222, 36.8 HP YANMAR 4TNV88C DIESEL ENGINE, CAB W/ HEAT & A/C, 5' 7" ARM, 9' 4" BOOM, MAX DIG DEPTH: 12' 7", 16" RUBBER TRACKS, DOZER BLADE, MANUAL WEDGE COUPLER, OVERALL WIDTH: 5' 7", OPERATING WEIGHT: 11,341 LBS.	
2025 ZX50U-5N MINI EXCAVATOR, 45 HRS	\$CALL
STK#: HIT223, 36.8 HP YANMAR 4TNV88C DIESEL ENGINE, CAB W/ HEAT & A/C, 5' 7" ARM, 9' 4" BOOM, MAX DIG DEPTH: 12' 7", 16" RUBBER TRACKS, DOZER BLADE, MANUAL WEDGE COUPLER, OVERALL WIDTH: 5' 7", OPERATING WEIGHT: 11,341 LBS.	
2025 ZX60U-5N MINI EXCAVATOR, 100 HRS	\$CALL
STK#: HIT224, 53.8 HP YANMAR 4TNV98C DIESEL ENGINE, CAB W/ HEAT & A/C, 6' 1" ARM, 9' 9" BOOM, MAX DIG DEPTH: 13' 6", 16" RUBBER TRACKS, PATTERN CHANGER, OVERALL WIDTH: 6' 7", OVERALL WEIGHT: 13,426 LBS	
2025 ZX60U-5N MINI EXCAVATOR, 4 HRS	\$CALL
STK#: HIT225, 53.8 HP YANMAR 4TNV98C DIESEL ENGINE, CAB W/ HEAT & A/C, 6' 1" ARM, 9' 9" BOOM, MAX DIG DEPTH: 13' 6", 16" RUBBER TRACKS, PATTERN CHANGER, OVERALL WIDTH: 6' 7", OVERALL WEIGHT: 13,426 LBS	
2024 ZX85USB-7 COMPACT EXCAVATOR, 92 HRS	\$CALL
STK#: HIT203, 64HP DIESEL ENGINE, EROPS, 6' 11" ARM, 18" RUBBER TRACKS, MAX DIG DEPTH: 14' 10", MAX REACH: 24' 10", OPERATING WEIGHT: 19,500 LBS, TRANSPORTATION WIDTH: 7' 5".	
2024 HITACHI ZX85USB-7 EXCAVATOR, 153 HRS	\$CALL
STK#: HIT109, CAB W/ HEAT & AC, LONG ARM 6'11", RUBBER TRACKS, REAR VIEW CAMERA, AUX HYDRAULICS, YANMAR 4TNV98C ENGINE W/ 56 HORSEPOWER, BLADE, 18,735 OPERATING WEIGHT, 22'5" LENGTH, 7'4" WIDTH, 8'4" HEIGHT.	
WHEEL LOADERS	
2023 HITACHI ZW80-5B WHEEL LOADER, 283 HRS	\$83,000
STK#: HIT135, CAB WITH A/C & HEAT, RIDE CONTROL, UNIVERSAL COUPLER, 1 YD QC BUCKET.	
2023 HITACHI ZW80-5B WHEEL LOADER, 290 HRS	\$83,000
STK#: HIT136, CAB WITH A/C & HEAT, RIDE CONTROL, UNIVERSAL COUPLER, 1 YD QC BUCKET.	
2023 HITACHI ZW80-5B WHEEL LOADER, 109 HRS	\$83,000
STK#: HIT138, CAB WITH A/C & HEAT, RIDE CONTROL, UNIVERSAL COUPLER, 1 YD QC BUCKET.	
2023 HITACHI ZW80-5B WHEEL LOADER, 109 HRS	\$83,000
STK#: HIT139, CAB WITH A/C & HEAT, RIDE CONTROL, UNIVERSAL COUPLER, 1 YD QC BUCKET.	
2022 HITACHI ZW80-5B WHEEL LOADER, 425 HRS	\$79,000
STK#: HIT132, KUBOTA, 46 HP, TIER 4 FINAL, EROPS WITH HEAT & AC, 1 CU YD UNIVERSAL QC BUCKET, CWT, OP WEIGHT: 9,250 LBS, TRANSPORTAT WIDTH: 5.4', RIDE CONTROL.	
2022 HITACHI ZW80-5B WHEEL LOADER, 281 HRS	\$79,000
STK#: HIT133, KUBOTA, 46 HP, TIER 4 FINAL, EROPS, 1 CU YD UNIVERSAL QC BUCKET, 15.5/60-18 8PR, CWT, OP WEIGHT: 9,250 LBS, TRANSPORTATION WIDTH: 5.4', RIDE CONTROL.	

HITACHI CONTINUED

WHEEL LOADERS

2025 HITACHI ZW80-5B WHEEL LOADER, 7 HRS.	\$CALL
STK#: HIT237, 66HP DEUTZ TD2.9L4, WEIGHT: 12' 6", MAX DUMPING CLEARANCE: 7' 10", OVERALL WIDTH: 6' 5", UNIVERSAL QUICK COUPLER, 1.0 CY UNIVERSAL QC BUCKET	
2023 HITACHI ZW100-6 WHEEL LOADER, 261 HRS.	\$115,000
STK#: HIT140, CAB W/ A/C & HEAT, STANDARD TIRES, HYDRAULIC COUPLER 416 TYPE, GENERAL PURPOSE 1.3 YD BUCKET, HEATED MIRRORS.	
2022 HITACHI ZW100-6 WHEEL LOADER, 505 HRS.	\$109,000
STK#: HIT130, DEUTZ TCD3.6L4F, 101 HP, EROPS, 1.6 CU YD BUCKET W/ BOCE, 16.9-24-10PR TIRES, MAX DUMP HEIGHT: 8' 10", OPERATING WEIGHT: 16,140 LBS, TRANSPORTATION WIDTH: 7' 2", HYDRAULIC QC, 416 TYPE, BELLYGUARD TRANSMISSION, FRONT CHASSIS, BACKUP CAMERAS, HEATED MIRRORS.	
2022 HITACHI ZW100-6 WHEEL LOADER, 639 HRS.	\$99,000
STK#: HIT51, DEUTZ TCD3.6L4F, 101 HP, EROPS, 1.3 CU YD BOCE BUCKET, HYDRAULIC COUPLER 416 TYPE, 16.9-24-10PR TIRES, MAX DUMP HEIGHT: 8' 10", OPERATING WEIGHT: 16,140 LBS, TRANSPORTATION WIDTH: 7' 2", BELLYGUARD, FRONT CHASSIS, BELLYGUARD, TRANSMISSION, HEATED MIRRORS.	
2024 HITACHI 2024 ZW120-6 WHEEL LOADER, 72 HRS.	\$CALL
STK#HIT59, HYDRAULIC QUICK COUPLER, 416 TYPE, 1.8 CU YD BUCKET W/ BOCE, BELLYGUARD TRANSMISSION, FRONT CHASSIS, BACKUP CAMERAS, HEATED MIRRORS, STANDARD BIAS TIRES.	
2024 HITACHI ZW120-6 WHEEL LOADER, 59 HRS.	\$CALL
STK#:HIT60, HYDRAULIC QUICK COUPLER, 416 TYPE, 1.8 CU YD BUCKET W/ BOCE, BELLYGUARD TRANSMISSION, FRONT CHASSIS, BACKUP CAMERAS, HEATED MIRRORS, STANDARD BIAS TIRES.	
2023 HITACHI ZW120-6 WHEEL LOADER, 123 HRS.	\$CALL
STK#: HIT141, CAB W/ A/C & HEAT, STANDARD TIRES, HYDRAULIC COUPLER 416 TYPE, 1.8 YD QC BUCKET, TRANSMISSION BELLYGUARD, FRONT CHASSIS BELLYGUARD, BACK UP CAMERA, HEATED MIRRORS.	
2020 HITACHI ZW140-6 WHEEL LOADER, 339 HRS.	\$CALL
STK#: HIT256, 145 HP, OPERATING WEIGHT: 25,661 LBS, BUCKET CAPACITY: 2.8 YD ³ , LENGTH: APPROXIMATELY 25 FT 7 IN.	
2024 HITACHI ZW150-6 WHEEL LOADER, 67 HRS.	\$CALL
STK#:HIT142, CAB W/ HEAT & A/C, RADIAL TIRES, HYDRAULIC COUPLER 416 TYPE, 2.8 YD QC BUCKET, TRANSMISSION BELLYGUARD, FRONT CHASSIS BELLYGUARD, BACK UP CAMERA, HEATED MIRRORS.	
2024 HITACHI ZW150-6 WHEEL LOADER, 838 HRS.	\$CALL
STK#:HIT143, CAB W/ HEAT & A/C, RADIAL TIRES, HYDRAULIC COUPLER 416 TYPE, 2.8 YD QC BUCKET, TRANSMISSION BELLYGUARD, BACK UP CAMERA, HEATED MIRRORS.	
2024 HITACHI ZW150-6 WHEEL LOADER, 97 HRS.	\$CALL
STK#:HIT144, CAB W/ HEAT & A/C, RADIAL TIRES, HYDRAULIC COUPLER 416 TYPE, 2.8 YD QC BUCKET, TRANSMISSION BELLYGUARD, FRONT CHASSIS BELLYGUARD, BACK UP CAMERA, HEATED MIRRORS.	
2022 HITACHI ZW180-6 HIGH LIFT WHEEL LOADER, 2919 HRS.	\$155,000
STK#: HIT56, 3.4 CU YD W BOCE, HYDRAULIC QUICK COUPLER, BACKUP CAMERA, CUSHION DUMP VALVE, RADIATOR AREA SCREEN GUARD, HEATED MIRRORS, FENDERS CUMMINS 173 HP, TIER 4 FINAL, OPERATING WEIGHT: 32,100 LBS, TRANSPORTATION WIDTH: 8' 7".	
2022 HITACHI ZW180-6 HIGH LIFT WHEEL LOADER, 5529 HRS.	\$125,000
STK#: HIT57, CUMMINS 173 HP, TIER 4 FINAL, EROPS, 3.4 CU YD BUCKET W/ BOCE, JRB HYD QC 416 SERIES, 20.5-25-12PR RADIAL TIRES, OPERATING WEIGHT: 32,100 LBS, TRANSPORTATION WIDTH: 8' 7", BACKUP CAMERAS.	
2024 HITACHI ZW180-6 WHEEL LOADER, 4 HRS.	\$CALL
STK#: HIT146, CAB W/ HEAT & AC, RADIAL TIRES, HYDRAULIC COUPLER 416 TYPE, 3.4 YD QC BUCKET, FRONT CHASSIS BELLYGUARD, TRANSMISSION BELLYGUARD, HEATED MIRRORS, BACK UP CAMERA.	
2025 HITACHI ZW180-7 WHEEL LOADER, 7 HRS.	\$CALL
STK#: HIT242, 173 HP CUMMINS B6.7, EPA FINAL TIER 4, TIRE SIZE: 20.5R25 (L3), CAB W/ HEAT & A/C, FOUR-WHEEL DRIVE, TOP TRAVEL SPEED: 24 MPH, HYDRAULIC COUPLER: 416 TYPE, EQUIPPED W/ FRONT & REAR BELLY GUARD, OVERALL WIDTH W/ BUCKET: 8' 11", WEIGHT: 33,797 LBS	
2025 HITACHI ZW180-7 WHEEL LOADER, 10 HRS.	\$CALL
STK#: HIT243, 173 HP CUMMINS B6.7, EPA FINAL TIER 4, CAB W/ HEAT & A/C, HYDRAULIC COUPLER: 416 TYPE, , OVERALL WIDTH W/ BUCKET: 8' 11", WEIGHT: 33,797 LBS	
2025 HITACHI ZW180-7 WHEEL LOADER, 35 HRS.	\$CALL
STK#: HIT244, 173 HP CUMMINS B6.7, EPA FINAL TIER 4, TIRE SIZE: 20.5R25 (L3), CAB W/ HEAT & A/C, FOUR-WHEEL DRIVE, TOP TRAVEL SPEED: 24 MPH, HYDRAULIC COUPLER: 416 TYPE, EQUIPPED W/ FRONT & REAR BELLY GUARD, OVERALL WIDTH W/ BUCKET: 8' 11", WEIGHT: 33,797 LBS	
2025 HITACHI ZW220-7 WHEEL LOADER, 4 HRS.	\$CALL
STK#: HIT248, 210 HP CUMMINS B6.7 DIESEL, EPA FINAL TIER 4, FUEL TANK: 67.3 GALLONS, CAB W/ HEAT & A/C, TIRES: 23.5R25 (L3), FRONT & REAR BELLY GUARDS, HYDRAULIC COUPLER: 418 TYPE, OVERALL WIDTH W/ BUCKET: 9' 6", WEIGHT: 41,094 LBS	
2025 HITACHI ZW220-7 WHEEL LOADER, 9 HRS.	\$CALL
STK#: HIT150, CAB W/ HEAT & AC, RADIAL TIRES, HYDRAULIC COUPLER 418 TYPE, 3.7 YD QC BUCKET, TRANSMISSION BELLYGUARD, HEATED MIRRORS, BACK UP CAMERA.	
2025 HITACHI ZW220-7 WHEEL LOADER, 361 HRS.	\$CALL
STK#: HIT246, CAB W/ HEAT & AC, RADIAL TIRES, HYDRAULIC COUPLER 418 TYPE, 3.7 YD QC BUCKET, TRANSMISSION BELLYGUARD, HEATED MIRRORS, BACK UP CAMERA.	
2023 HITACHI ZW220-6 WHEEL LOADER, 1594 HRS.	\$CALL
STK#: HIT151, CAB W/ HEAT & AC, RADIAL TIRES, HYDRAULIC COUPLER 418 TYPE, 3.7 YD QC BUCKET, TRANSMISSION BELLYGUARD, FRONT CHASSIS BELLYGUARD, HEATED MIRRORS, BACK UP CAMERA, 3RD VALVE HYDRAULICS.	
2014 HITACHI ZW220-5 WHEEL LOADER, 7815 HRS.	\$79,000
STK#: HIT134, CUMMINS 194 HP, NO DEF, EROPS, TIRES: 23.5-25-16PR, MAX DUMPING HEIGHT: 9' 6", OP WEIGHT: 37,963 LBS, TRANSPORT WIDTH: 9' 2".	

WHEEL LOADERS



2023 ZW80-5B



2023 ZW150-6



2022 ZW180-6



2023 ZW220-6

JOHN DEERE

BACKHOES

2000 JOHN DEERE 310SE BACKHOE, 1310 HRS.....\$42,500
 STK#: JD810, 4X4, EXTANDAHOE, 24" BUCKET.

DOZERS

2019 JOHN DEERE 450K DOZER, 848 HRS.....\$112,000
 STK#: JD767, JD POWERTECH 80HP TIER 4 FINAL, EROPS W AC, PAT BLADE, 18" TRACKS, DRAWBAR, HYDRAULIC CONTROL, JOYSTICK STEER, LIGHTS, OP WEIGHT: 18,752 LBS, TRANSPORTATION WIDTH: 8' 8".

2019 JOHN DEERE 550K DOZER, 1794 HRS.....\$129,000
 STK#: JD789, 92.6HP POWERTECH PWS 4045, OPERATING WEIGHT:19,799 LBS, GROUND BEARING PRESSURE 6.4PSI, SHOE PITCH 63 IN, SINGLE GROUSER, BLADE DIG DEPTH OF 20.6", TRACK LENGTH ON GROUND 7'2", BLADE TILT 1'2", HEIGHT - MAX 9'2", BLADE WIDTH 8', GROUND CLEARANCE 1'11".

2020 JOHN DEERE 650K LGP DOZER, 1478 HRS.....\$132,000
 STK#: JD806, JOHN DEERE DIESEL ENGINE, EROPS W HEAT & AC, SWEEPS AND SCREENS, 6 WAY BLADE, OPERATING WEIGHT: 20,624 LBS, TRANSPORTATION WIDTH: 9' 11".

2020 JOHN DEERE 650K LGP DOZER, 1978 HRS.....\$127,000
 STK#: JD807, JD DIESEL ENGINE, EROPS W HEAT & AC, SWEEPS & SCREENS, 6 WAY BLADE, OPERATING WEIGHT: 20,624 LBS, TRANSPORT WIDTH: 9' 11", TRIMBLE GCS900 READY.

2021 JOHN DEERE 700L LGP DOZER, 1290 HRS.....\$203,000
 STK#: JD805, JOHN DEERE DIESEL ENGINE, EROPS W HEAT & AC, 6 WAY BLADE, 30" STEEL TRACKS, OP WEIGHT: 32,088 LBS, TRANSPORT WIDTH: 10' 11".

2023 JOHN DEERE 700L LGP DOZER, 1454 HRS.....\$219,000
 STK#: JD820, JOHN DEERE DIESEL ENGINE, EROPS W HEAT & AC, SWEEPS, REAR SCREEN, 6 WAY BLADE, REAR HYDRAULICS.

2022 JOHN DEERE 750L LGP DOZER, 1997 HRS.....\$230,000
 STK#: JD819, JOHN DEERE DIESEL ENGINE, EROPS W HEAT & AC, REAR CAMERA, SWEEPS, REAR SCREEN, 6 WAY BLADE, REAR HYDRAULICS.

2015 JOHN DEERE 850K XLT DOZER, 4403 HRS.....\$149,000
 STK#: JD797, EROPS W HEAT & AC, JOHN DEERE DIESEL ENGINE, OP WEIGHT: 43,618 LBS, SEMI-U BLADE, 128", TRANSPORTATION WIDTH: 11' 2", 24" PADS.

SKID LOADERS

2020 JOHN DEERE 324G SKID LOADER, 2536 HRS.....\$CALL
 STK#: JD812, 4TNV98CT ENGINE, GROSS POWER: 74 HP, EMISSION: EPA FINAL TIER 4/EU STAGE IV, OPERATING CAPACITY: 2,690 LB, TIPPING LOAD: 5,380 LB, OPERATING WEIGHT: 7,700 LB.

2023 JOHN DEERE 325G SKID LOADER, 826 HRS.....\$66,500
 STK#: JD780, CAB WITH AC, HEAT, DEFROST, COLD START PACKAGE, HEATED AIR RIDE SEAT, ISO SWITCHABLE CONTROLS, OP WEIGHT: 9,500 LBS, TIPPING LOAD: 7,400 LBS, TRANSPORT WIDTH:71.5", YANMAR, 74HP, TIER 4, 12.6" TRACKS, 78" BUCKET.

2023 JOHN DEERE 325G SKID LOADER, 988 HRS.....\$66,500
 STK#: JD781, YANMAR, 74HP, TIER 4, CAB WITH AC, HEAT, DEFROST, ISO SWITCHABLE CONTROLS, 12.6" TRACKS, 78" BUCKET, OPERAITNG WEIGHT: 9,500 LBS, TRANSPORTATION WIDTH:71.5", TIPPING LOAD: 7,400 LBS, HEATED AIR RIDE SEAT, COLD START PACKAGE.

2023 JOHN DEERE 325G SKID LOADER, 904 HRS.....\$66,500
 STK#: JD782, CAB WITH AC, HEAT, DEFROST, COLD START PACKAGE, HEATED AIR RIDE SEAT, ISO SWITCHABLE CONTROLS, OP WEIGHT: 9,500 LBS, TIPPING LOAD: 7,400 LBS, TRANSPORT WIDTH:71.5", YANMAR, 74HP, TIER 4, 12.6" TRACKS, 78" BUCKET.

2020 JOHN DEERE 333G COMPACT TRACK LOADER, 1390 HRS.....\$59,500
 STK#: JD795, CAB WITH A/C/ HEAT/ DEFROST, COLD START PACKAGE, YANMAR 100HP. TIER 4 FINAL, HIGH FLOW, HYDRAULIC SELF-LEVEL UP, ISO-H SWITCHABLE CONTROLS, OP WEIGHT: 12,100 LBS, POWER QUIK-TATCH, REAR VIEW CAMERA, RIDE CONTROL, TIPPING LOAD: 10,570 LBS, TRANSPORT WIDTH: 6' 9", 17.7" RUBBER TRACKS.

2023 JOHN DEERE 333G COMPACT TRACK LOADER, 778 HRS.....\$86,500
 STK#: JD785, EROPS, OPERATING WEIGHT: 12,100 LBS, TIPPING WEIGHT: 10,570 LBS, TRANSPORT WIDTH: 6' 9", 17.7" RUBBER TRACKS.

2023 JOHN DEERE 333G COMPACT TRACK LOADER, 520 HRS.....\$89,000
 STK#: JD786, EROPS, 17.7" RUBBER TRACKS, TIPPING WEIGHT: 10,570 LBS, OPERATING WEIGHT: 12,100 LBS, TRANSPORT WIDTH: 6' 9"

2023 JOHN DEERE 333G COMPACT TRACK LOADER, 653 HRS.....\$87,500
 STK#: JD787, EROPS, OPERATING WEIGHT: 12,100 LBS, TIPPING WEIGHT: 10,570 LBS, TRANSPORT WIDTH: 6' 9", 17.7" RUBBER TRACKS.

2023 JOHN DEERE 333G SKID LOADER, 782 HRS.....\$79,000
 STK#: JD777, AIR RIDE SEAT, COLD START PACKAGE, EROPS W HEAT & AC, HIGHFLOW HYDRAULICS, ISO SWITCHABLE CONTROLS, OPERATING WEIGHT: 12,100 LBS, TIPPING LOAD: 10,570 LBS, TRANSPORTATION WIDTH: 6' 9", YANMAR, 100HP, TIER 4 FINAL, 17.7" RUBBER TRACKS.

BACKHOES



2000 310SE

DOZERS



2023 700L



2015 850K XLT

EXCAVATORS



2019 75G

KOBELCO

EXCAVATORS

- 2019 KOBELCO SK140SRLC-5 EXCAVATOR, 1875 HRS.**.....\$89,000
STK#: KOB815, 96 HP DIESEL ENGINE, EROPS W HEAT & AC, REDUCED TAIL SWING, LONG UNDER CARRIAGE, 23.6" STEEL TRACKS, 9' 4" ARM, MAX DIG DEPTH: 19' 7", REACH @ GROUND LEVEL: 28' 4", OP WEIGHT: 31,500 LBS, TRANSPORT WIDTH: 8' 6".
- 2023 KOBELCO SK170LC-11 EXCAVATOR, 226 HRS.**.....\$155,000
STK#: KOB783, ROPS CAB, 23.6" STEEL TRACKS, AIR SUSPENSION SEAT, STANDARD BOOM 17' 1", STANDARD ARM 10' 2", N&B HAND CONTROL, HEAVY COUNTERWEIGHT, WORK LIGHTS, TRANSPORT WEIGHT 39,500, TRANSPORT WIDTH 8'6".
- 2023 KOBELCO SK 210LC-11 EXCAVATOR, 321 HRS.**.....\$182,000
STK#: KOB802, EROPS W HEAT/AC, 31.5" SEMI TRIP GROUSER SHOES, 18' 6" BOOM, 9' 8" ARM, N&B HAND CONTROL, STANDARD CWT, AIR SUSPENSION HEATED SEAT, LIGHTS.
- 2019 KOBELCO SK260LC-10 EXCAVATOR, 2797 HRS.**.....\$109,000
STK#: KOB809, 78 HP DIESEL ENGINE, EROPS W HEAT & AC, 10' STICK, AUX HYDRAULICS, 32" PADS, 23' DIG DEPTH, 42" BUCKET, LONG UNDERCARRIAGE, OP WEIGHT: 59,300 LBS, TRANSPORT WIDTH: 11' 1".
- 2024 KOBELCO SK260LC-11 EXCAVATOR, 145 HRS.**.....\$225,000
STK#: KOB822, 194HP TIER 4F DIESEL ENGINE, EROPS, 19' 9" STANDARD MONO BOOM, 12' ARM, 31.5" SEMI-TRIPLE GROUSER TRACKS, MAX DIG DEPTH: 25' 2", MAX REACH GROUND LEVEL: 35' 6", AIR SUSPENSION HEATED SEAT, N&B HAND CONTROL, STANDARD COUNTERWEIGHT, WORKLIGHTS.

EXCAVATORS



2019 SK140SRLC-5



2024 SK170LC-11



2024 SK210LC-11



2024 SK260LC-11

KOMATSU

DOZERS

- 2023 KOMATSU D39PX-24 DOZER, 405 HRS.**.....\$159,000
STK#: KOM169, KOMATSU 105 HP DIESEL ENGINE, TIER 4F, EROPS, PAT BLADE, 27.5" TRACKS, GROUND PRESSURE: 3.98 PSI, OP WEIGHT: 22,817 LBS, TRANSPORT WIDTH: 9' 10".
- 2022 KOMATSU D39PX-24 DOZER, 1110 HRS.**.....\$149,000
STK#: KOM153, KOMATSU 105 HP DIESEL ENGINE, TIER 4F, EROPS, 27.5" TRACKS, GROUND PRESSURE: 3.98 PSI, OPERATING WEIGHT: 22,817 LBS, TRANSPORT WIDTH: 9' 10".
- 2022 KOMATSU D39PX-24 DOZER, 544 HRS.**.....\$159,000
STK#: KOM158, KOMATSU 105 HP DIESEL ENGINE, TIER 4F, EROPS, PAT BLADE, 27.5" TRACKS, GROUND PRESSURE: 3.98 PSI, OP WEIGHT: 22,817 LBS, TRANSPORT WIDTH: 9' 10".
- 2022 KOMATSU D39PX-24 DOZER, 461 HRS.**.....\$159,000
STK#: KOM159, KOMATSU 105 HP DIESEL ENGINE, TIER 4F, EROPS, PAT BLADE, 27.5" TRACKS, GROUND PRESSURE: 3.98 PSI, OP WEIGHT: 22,817 LBS, TRANSPORT WIDTH: 9' 10".

WHEEL LOADERS

- 2023 KOMATSU WA270-8 WHEEL LOADER, 2271 HRS.**.....\$172,000
STK#: KOM163, KOMATSU 149 HP DIESEL ENGINE, TIER 4F, EROPS, ACS 3YD QC BUCKET, COUPLER, 3RD VALVE HYDRAULICS, 20.5-25-12PR TIRES, MAX DUMP HEIGHT: 9' 9", TIPPING LOAD: 22,774 LBS, OPERATING WEIGHT: 28,396 LBS, TRANSPORT WIDTH: 8' 3", OPTIONAL COUNTERWEIGHT.
- 2023 KOMATSU WA270-8 WHEEL LOADER, 2510 HRS.**.....\$172,000
STK#: KOM164, KOMATSU 149 HP DIESEL ENGINE, TIER 4F, EROPS, ACS 3YD QC BUCKET, COUPLER, 3RD VALVE HYDRAULICS, 20.5-25-12PR TIRES, MAX DUMP HEIGHT: 9' 9", TIPPING LOAD: 22,774 LBS, OPERATING WEIGHT: 28,396 LBS, TRANSPORTATION WIDTH: 8' 3", OPTIONAL COUNTERWEIGHT.
- 2023 KOMATSU WA270-8 WHEEL LOADER, 158 HRS.**.....\$183,000
STK#: KOM175, KOMATSU DIESEL ENGINE, EROPS W HEAT & AC, RIDE CONTROL, HYDRAULIC COUPLER, 20.5R25 RUBBER TIERED LOADERS, REAR CAMERA.

KUBOTA

SKID LOADERS

- 2020 KUBOTA SVL75-2 SKID LOADER, 274 HRS.**.....\$46,500
STK#: KUB42, KUBOTA 74 HP DIESEL ENGINE, TIER 4F, 12.6" RUBBER TRACKS, OPERATING WEIGHT: 9,039 LBS, TRANSPORTATION WIDTH: 65.9", TIPPING LOAD: 6,570 LBS, MECHANICAL QUICK COUPLER, OROPS.
- 2019 KUBOTA SVL75-2 SKID LOADER, 2042 HRS.**.....\$36,750
STK#: KUB40, KUBOTA 74 HP DIESEL ENGINE, TIER 4F, 12.6" RUBBER TRACKS, OPERATING WEIGHT: 9,039 LBS, TRANSPORTATION WIDTH: 65.9", TIPPING LOAD: 6,570 LBS, MECHANICAL QUICK COUPLER, OROPS.

WARRANTY: 5-YEAR/5,000-HOUR FULL MACHINE WARRANTY

EXCAVATORS

2012 LINKBELT 135 SPIN ACE, 5654 HRS.	\$49,000
STK#: LNK246, ISUZU 88 HP ENGINE, 7'10" ARM LENGTH 15'6" BOOM LENGTH, 2-WAY AUX HYDRAULICS, TRACK WIDTH: 23.5", MAX DIG DEPTH: 17' 9", MAX REACH @ GROUND LEVEL: 26.5', OPERATING WEIGHT: 29100 LBS, TRANSPORT WIDTH: 8.5', 36" DITCHING BUCKET.	
2019 LINKBELT 145X4 EXCAVATOR, 3769 HRS.	\$79,000
STK#: LNK223, 102 HP ISUZU AR-4JJ1X TIER 4 FINAL, EROPS W/ HEAT & A/C, 9'11" ARM, AUX HYDRAULICS, 23.5" SHOE WIDTH, DOZER BLADE, 18'1" MAX DIG DEPTH, 26'8" MAX REACH AT GROUND LEVEL, OPERATING WEIGHT: 33,600 LBS, TRANSPORT WIDTH: 8'6".	
2019 LINKBELT 145X4DZ EXCAVATOR WITH BLADE, 3275 HRS.	\$92,000
STK#: LNK193, 102 HP ISUZU AR-4JJ1X TIER 4 FINAL, EROPS W/ HEAT & A/C, 9'11" ARM, AUX HYDRAULICS, 23.5" SHOE WIDTH, DOZER BLADE, 18'1" MAX DIG DEPTH, 26'8" MAX REACH AT GROUND LEVEL, OPERATING WEIGHT: 33,600 LBS, TRANSPORT WIDTH: 8'6".	
2021 LINKBELT 145X4DZ, 1824 HRS.	\$120,000
STK#: LNK219, 102 HP ISUZU AR-4JJ1X TIER 4 FINAL, EROPS W/ HEAT & A/C, 9'11" ARM, AUX HYDRAULICS, 23.5" SHOE WIDTH, DOZER BLADE, 18'1" MAX DIG DEPTH, 26'8" MAX REACH AT GROUND LEVEL, OPERATING WEIGHT: 33,600 LBS, TRANSPORT WIDTH: 8'6".	
2022 LINKBELT 145X4DZ EXCAVATOR WITH BLADE, 970 HRS.	\$145,000
STK#: LNK159, 102 HP ISUZU AR-4JJ1X TIER 4 FINAL, TURBOCHARGED DIESELS, CAB W/ HEAT AND A/C, STICK LENGTH: 8'2", MULTI-FUNCTION AUX HYDRAULICS & SECONDARY HYD., 23.5" CLIP ON RUBBER TRACKS, 3-BAR, DOZER BLADE, MAX DIG DEPTH: 18'1", MAX REACH AT GROUND LEVEL: 26'8", OP WEIGHT: 33,600 LBS, TRANSPORTATION WIDTH: 8'2".	
2024 TRIMBLE LINKBELT 145X4DZ EXCAVATOR, 28 HRS.	\$CALL
STK#: LNK214, 102HP DIESEL ENGINE, EROPS W HEAT & AC, AUX HYDRAULICS: MFH & SECONDARY, 23.6" TRACKS, MAX DIG DEPTH: 19' 9", REACH @ GROUND LEVEL: 28' 3", TRIMBLE 2D KIT WITH MACHINE CONTROL, 230 WAVES, TRANSPORTATION WIDTH: 8' 6".	
2024 LINKBELT 145X4DZ EXCAVATOR, 200 HRS.	\$CALL
STK#: LNK220, 102 HP DIESEL ENGINE, TIER 4 FINAL, CAB W/ HEAT & A/C, STICK LENGTH: 9'11", MULTIFUNCTION HYDRAULICS, 23.5" STEEL TRACKS, MAX DIG DEPTH: 19'9", MAX REACH AT GROUND LEVEL: 28'3", OPERATING WEIGHT: 33,600 LBS, TRANSPORTATION WIDTH: 8'6".	
2024 LINKBELT 145X4DZ EXCAVATOR, 5 HRS.	\$CALL
STK#: LNK221, 102 HP DIESEL ENGINE, TIER 4 FINAL, CAB W/ HEAT & A/C, STICK LENGTH: 9'11", MULTIFUNCTION HYDRAULICS, 23.5" STEEL TRACKS, MAX DIG DEPTH: 19'9", MAX REACH AT GROUND LEVEL: 28'3", OPERATING WEIGHT: 33,600 LBS, TRANSPORTATION WIDTH: 8'6".	
2025 LINK-BELT 145X4DZ EXCAVATOR, 0 HRS.	\$CALL
STK#: LNK235, 102 HP ISUZU AR-4JJ1X FINAL TIER 4 DIESEL ENGINE, CAB W/ HEAT & A/C, DOZER BLADE, 8' 2" ARM, SEAT HEAT & TILT, FULL TIME REAR VIEW CAMERA DISPLAY, RIGHT SIDE CAMERA, 23.5" 3-BAR GROUSER, LCD COLOR MONITOR, AM/FM SOUND SYSTEM, TRANSPORT WIDTH: 8' 6", OPERATING WEIGHT: 33,600 LBS.	
2025 LINK-BELT 145X4DZ EXCAVATOR, 10 HRS.	\$CALL
STK#: LNK225, 102 HP ISUZU AR-4JJ1X FINAL TIER 4 DIESEL ENGINE, CAB W/ HEAT & A/C, DOZER BLADE, 8' 2" ARM, SEAT HEAT & TILT, FULL TIME REAR VIEW CAMERA DISPLAY, RIGHT SIDE CAMERA, 23.5" 3-BAR GROUSER, LCD COLOR MONITOR, AM/FM SOUND SYSTEM, TRANSPORT WIDTH: 8' 6", OPERATING WEIGHT: 33,600 LBS.	
2019 LINK-BELT 160X4EX EXCAVATOR, 611 HRS.	\$115,000
STK#: LNK209, ISUZU 112 HP DIESEL ENGINE, TIER 4 FINAL, EROPS W/ HEAT & A/C, COMBINATION AUX HYDRAULICS, LONG UNDERCARRIAGE, 23.6" STEEL TRACKS, MAX DIG DEPTH: 19'11", REACH @ GROUND LEVEL: 30'3", OPERATING WEIGHT: 38,400 LBS, TRANSPORTATION WIDTH: 8'6", 36" ESCO DIGGING BUCKET.	
2024 LINKBELT 220X4S EXCAVATOR, 49 HRS.	\$CALL
STK#: LNK215, 160HP TIER 4F DIESEL ENGINE, EROPS, 31.5" TRACKS, 9'8" ARM, MAX DIG DEPTH: 21' 10", REACH @ GROUND LEVEL: 31' 11", OPERATING WEIGHT: 49,200 LBS, TRANSPORTATION WIDTH: 9'3".	
2023 LINKBELT 245X4DZ EXCAVATOR, 646 HRS.	\$CALL
STK#: LNK195, 127.5 HP TURBOCHARGED DIESEL ENGINE, CAB W/ HEAT AND A/C, LEVEL 1 CERTIFIED ROPS & FOPS, STICK LENGTH: 9'8", MULTIFUNCTION AND SECONDARY HYDRAULICS, 31.5" STEEL TRACKS W/ 3-BAR GROUSERS, BLADE, MAX DIG DEPTH: 21'10", MAX REACH AT GROUND LEVEL: 31'9", OPERATING WEIGHT: 58,100 LBS.	
2024 LINKBELT 300X4HD EXCAVATOR, 181 HRS.	\$CALL
STK#: LNK205, 207 HP DIESEL ENGINE, TIER 4 FINAL, STICK LENGTH: 10'6", 27.5" 3-BAR TRACKS, MULTIFUNCTION & SECONDARY HYDRAULICS, CAB HEAD GUARD & CAB FRONT GUARD, WAVES CAMERA SYSTEM, MAX DIG DEPTH: 18'10", TRANSPORTATION WIDTH: 11'9", OPERATING WEIGHT: 73,200 LBS.	
2024 LINKBELT 350X4 EXCAVATOR, 296 HRS.	\$CALL
STK#: LNK182, 268 HP ISUZU TIER 4 FINAL ENGINE, CAB W/ HEAT & AC, STICK LENGTH 13'3", MULTIFUNCTION HYDRAULIC, STEEL TRACKS 31.5" WIDTH, MAX DIG DEPTH 26'9" MAX REACH @ GROUND LEVEL 38'5", OPERATING WEIGHT 82,400 LBS, TRANSPORT WIDTH 11'2"	

MINI EXCAVATORS

2020 LINKBELT 80X3 EXCAVATOR, 2187 HRS.	\$74,500
STK#: LNK204, 54 HP DIESEL ENGINE, TIER 4 FINAL, STICK LENGTH: 5'7", MULTIFUNCTION HYDRAULICS, 17.7" STEEL TRACKS, PROWLER RUBBER CLIP-ON PADS, BACKFILL BLADE, BACKUP CAMERA, 24" ORIEL HEAVY DUTY DIGGING BUCKET, MAX DIG DEPTH: 13'9", MAX REACH AT GROUND LEVEL: 22'9", OP WEIGHT: 18,900 LBS, TRANSPORTAT WIDTH: 7'7".	

EXCAVATORS



2024 145X4



2019 210X4



2024 220X4S



2024 350X4

MANITOU

WARRANTY: 24 MONTHS OR 2000 HOURS

SKID LOADERS

2024 MANITOU 2150 RT TRACK SKID LOADER, 281 HRS.....\$63,500
STK#: MAN102, EROPS W HEAT & AC, FOLDING DOOR, DELUXE SEAT W AIR RIDE SUSPENSION, AUX HYDRAULICS, HIGH FLOW, POWER-A-TACH, 4 SEASON TRACKS, REAR COUNTERWEIGHT/BUMPER, 74" HD BUCKET W CUTTING EDGE.

SANY

WARRANTY: 5 YEAR/5,000 HR

FINANCING: 0% FOR 60 MONTHS FOR QUALIFYING UNITS

EXCAVATORS

2021 SANY SY135C EXCAVATOR, 620 HRS.....\$99,000

STK#: SAN203, ISUZU 103.3 HP, TIER 4 FINAL, STICK LENGTH: 8' 2", 24" STEEL TRACKS, MAX DIG DEPTH: 18' 1", MAX REACH @ GROUND LEVEL: 27' 2", OPERATING WEIGHT: 32,783 LBS, TRANSPORTATION WIDTH: 8' 6".

2021 SANY SY135C THUMB EXCAVATOR, 938 HRS.....\$110,000

STK#: SAN204, ISUZU 103.3 HP, TIER 4 FINAL, STICK LENGTH: 8' 2", 24" STEEL TRACKS, MAX DIG DEPTH: 18' 1", MAX REACH @ GROUND LEVEL: 27' 2", OPERATING WEIGHT: 32,783 LBS, TRANSPORTATION WIDTH: 8' 6".

2021 SANY SY155C EXCAVATOR, 1158 HRS.....\$139,000

STK#: SAN366, 105HP ISUZU AR-4J1XASC, EROPS HEAT/AC, STICK LENGTH 8'2", AUXILIARY HYDRAULICS 66.6GPM & SECONDARY HYDRAULIC, RUBBER TRACKS 24", BACKFILL BLADE, MAX DIG DEPTH 17'11", MAX REACH @ GROUND LEVEL 27'4", OPERATING WEIGHT 35,274 LBS, TRANSPORT WIDTH 8'6"

2022 SANY SY215C EXCAVATOR, 569 HRS.....\$119,000

STK#: SAN186, 2 WAY AUX HYDRAULICS, TRACKS: 31" STEEL, MAX DIG DEPTH: 21' 8", MAX REACH @ GROUND LEVEL: 33' 10", CUMMINS, 163.6, TIER 4F, ARM LENGTH: 9' 7", TRACKS: 31" STEEL, MAX DIG DEPTH: 21' 8", MAX REACH @ GROUND LEVEL: 33' 10", ARM LENGTH: 9' 7", OP WEIGHT: 51,919 LBS, TRANSPORT WIDTH: 10' 5", PATTERN CHANGER.

2022 SANY SY215C EXCAVATOR, 757 HRS.....\$142,500

STK#: SAN189, 2 WAY AUX HYDRAULICS, TRACKS: 31" STEEL, MAX DIG DEPTH: 21' 8", MAX REACH @ GROUND LEVEL: 33' 10", CUMMINS, 163.6, TIER 4F, ARM LENGTH: 9' 7", TRACKS: 31" STEEL, MAX DIG DEPTH: 21' 8", MAX REACH @ GROUND LEVEL: 33' 10", ARM LENGTH: 9' 7", OP WEIGHT: 51,919 LBS, TRANSPORT WIDTH: 10' 5", PATTERN CHANGER.

2022 SANY SY215C THUMB EXCAVATOR, 644 HRS.....\$155,000

STK#: SAN288, 2WAY AUX HYDRAULICS, ENGINE: CUMMINS, 163.6, TIER 4F, ARM LENGTH: 9' 7", TRACKS: 31" STEEL, MAX DIG DEPTH: 21' 8", MAX REACH @ GROUND LEVEL: 33' 10", OPERATING WEIGHT: 51,919 LBS, TRANSPORTATION WIDTH: 10' 5", PATTERN CHANGER.

2022 SANY SY225C EXCAVATOR, 1604 HRS.....\$CALL

STK#: SAN253, EROPS W/ HEAT & AC, CUMMINS QSB6.7, 54, 013 LBS OPERATING WEIGHT, AUX HYDRAULICS, TRACK WIDTH 33' 10", MAX REACH 33'10", TRANSPORT WIDTH 11'1".

2022 SANY SY225C EXCAVATOR, 783 HRS.....\$139,000

STK#: SAN269, EROPS W/ HEAT & AC, CUMMINS QSB6.7, 54, 013 LBS OPERATING WEIGHT, AUX HYDRAULICS, TRACK WIDTH 33' 10", MAX REACH 33'10", TRANSPORT WIDTH 11'1".

2022 SANY SY225C EXCAVATOR, 681 HRS.....\$132,000

STK#: SAN287, EROPS W/ HEAT & AC, CUMMINS QSB6.7, 54, 013 LBS OPERATING WEIGHT, AUX HYDRAULICS, TRACK WIDTH 33' 10", MAX REACH 33'10", TRANSPORT WIDTH 11'1".

2023 SANY SY225C EXCAVATOR, 671 HRS.....\$CALL

STK#: SAN358, 163 HP CUMMINS DIESEL ENGINE, EROPS, BOOM LENGTH: 18' 8", ARM LENGTH: 9' 7", 31" STEEL TRACKS, AUX HYDRAULICS, DIG DEPTH: 21' 8", REACH @ GROUND LEVEL: 33' 10", OPERATING WEIGHT: 54,013 LBS, TRANSPORTATION WIDTH: 11' 1".

2023 SANY SY225C EXCAVATOR, 548 HRS.....\$CALL

STK#: SAN359, 163 HP CUMMINS DIESEL ENGINE, EROPS, BOOM LENGTH: 18' 8", ARM LENGTH: 9' 7", 31" STEEL TRACKS, AUX HYDRAULICS, DIG DEPTH: 21' 8", REACH @ GROUND LEVEL: 33' 10", OPERATING WEIGHT: 54,013 LBS, TRANSPORTATION WIDTH: 11' 1".

2023 SANY SY225C EXCAVATOR, 172 HRS.....\$CALL

STK#: SAN360, 163 HP CUMMINS DIESEL ENGINE, EROPS, BOOM LENGTH: 18' 8", ARM LENGTH: 9' 7", 31" STEEL TRACKS, AUX HYDRAULICS, DIG DEPTH: 21' 8", REACH @ GROUND LEVEL: 33' 10", OPERATING WEIGHT: 54,013 LBS, TRANSPORTATION WIDTH: 11' 1".

2023 SANY SY225C EXCAVATOR, 24 HRS.....\$CALL

STK#: SAN362, 163 HP CUMMINS DIESEL ENGINE, EROPS, BOOM LENGTH: 18' 8", ARM LENGTH: 9' 7", 31" STEEL TRACKS, AUX HYDRAULICS, DIG DEPTH: 21' 8", REACH @ GROUND LEVEL: 33' 10", OPERATING WEIGHT: 54,013 LBS, TRANSPORTATION WIDTH: 11' 1".

2023 SANY SY225C EXCAVATOR, 539 HRS.....\$CALL

STK#: SAN365, 163 HP CUMMINS DIESEL ENGINE, EROPS, BOOM LENGTH: 18' 8", ARM LENGTH: 9' 7", 31" STEEL TRACKS, AUX HYDRAULICS, DIG DEPTH: 21' 8", REACH @ GROUND LEVEL: 33' 10", OPERATING WEIGHT: 54,013 LBS, TRANSPORTATION WIDTH: 11' 1".

2023 SANY SY225C EXCAVATOR, 11 HRS.....\$CALL

STK#: SAN368, 163 HP CUMMINS DIESEL ENGINE, EROPS, BOOM LENGTH: 18' 8", ARM LENGTH: 9' 7", 31" STEEL TRACKS, AUX HYDRAULICS, DIG DEPTH: 21' 8", REACH @ GROUND LEVEL: 33' 10", OPERATING WEIGHT: 54,013 LBS, TRANSPORTATION WIDTH: 11' 1".

2023 SANY SY225C THUMB EXCAVATOR, 397 HRS.....\$CALL

STK#: SAN361, 163 HP CUMMINS DIESEL ENGINE, EROPS, BOOM LENGTH: 18' 8", ARM LENGTH: 9' 7", 31" STEEL TRACKS, AUX HYDRAULICS, DIG DEPTH: 21' 8", REACH @ GROUND LEVEL: 33' 10", OPERATING WEIGHT: 54,013 LBS, TRANSPORTATION WIDTH: 11' 1".

2021 SANY SY265C LONG REACH EXCAVATOR, 1245 HRS.....\$165,000

STK#: SAN179, 190.4 HP, T4F, EROPS, STICK LENGTH: 24' 7", AUX HYDRAULICS, 31" STEEL TRACKS, MAX DIG DEPTH: 43' 8", MAX REACH @ GROUND LEVEL: 57' 9", OPERATING WEIGHT: 69,446 LBS, TRANSPORTATION WIDTH: 11' 1".

2025 SANY SY265C LONG REACH EXCAVATOR, 195 HRS.....\$CALL

STK#: SAN404, OPERATING WEIGHT: 69,446 LBS, ENGINE: CUMMINS QSB 6.7 T4F, TRANSPORT LENGTH: 46' 2", TRANSPORT WIDTH: 11' 1", TRANSPORT HEIGHT: 12', DIGGING HEIGHT: 48' 7", DIG DEPTH: 43FT 8IN, REACH AT GROUND LEVEL: 57' 9".

2025 SANY SY265C LONG REACH EXCAVATOR, 73 HRS.....\$CALL

SAN#: SAN405, OPERATING WEIGHT: 69,446 LBS, ENGINE: CUMMINS QSB 6.7 T4F, TRANSPORT LENGTH: 46' 2", TRANSPORT WIDTH: 11' 1", TRANSPORT HEIGHT: 12', DIGGING HEIGHT: 48' 7", DIG DEPTH: 43FT 8IN, REACH AT GROUND LEVEL: 57' 9".

2025 SANY SYC6028 HIGH REACH EXCAVATOR, 40 HR.....\$CALL

STK#: SAN390, 16M BOOM, 28M BOOM

SANY CONTINUED

MINI EXCAVATORS

2022 SANY SY16C MINI EXCAVATOR, 3 HRS.....\$CALL
 STK#: SAN255, 15 HP YANMAR 3TNV80F-SPSK, OROPS, STICK LENGTH 3'8", HYDRAULICS 12.7 GPM, RUBBER TRACKS 9", BACKFILL BLADE, MAX DIG DEPTH 7'9", MAX REACH @ GROUND LEVEL 13'1", OPERATING WEIGHT 4,023, TRANSPORT WIDTH 3'3"/4'5".

2022 SANY SY26U EXCAVATOR, 136 HRS.....\$29,000
 STK#: SAN292, 19.6 HP YANMAR 3TNV80F-SNSY, BOOM LENGTH: 6'11", STICK LEGNTH: 4'3", OPERATING WEIGHT: 6,085 LBS, OROPS, AUX HYDRAULICS 10.6 GPM, TRACK WIDTH: 12", TRANSPORT WIDTH: 5'1", MAX DIG DEPTH: 9'3", MAX REACH @ GROUND LEVEL: 15'11".

2022 SANY SY26U EXCAVATOR, 205 HRS.....\$29,000
 STK#: SAN293, 19.6 HP YANMAR 3TNV80F-SNSY, BOOM LENGTH: 6'11", STICK LEGNTH: 4'3", OPERATING WEIGHT: 6,085 LBS, OROPS, AUX HYDRAULICS 10.6 GPM, TRACK WIDTH: 12", TRANSPORT WIDTH: 5'1", MAX DIG DEPTH: 9'3", MAX REACH @ GROUND LEVEL: 15'11".

2022 SANY SY26U EXCAVATOR, 117 HRS.....\$33,500
 STK#: SAN294, 19.6 HP YANMAR 3TNV80F-SNSY, BOOM LENGTH: 6'11", STICK LEGNTH: 4'3", OPERATING WEIGHT: 6,085 LBS, OROPS, AUX HYDRAULICS 10.6 GPM, TRACK WIDTH: 12", TRANSPORT WIDTH: 5'1", MAX DIG DEPTH: 9'3", MAX REACH @ GROUND LEVEL: 15'11".

2023 SANY SY35 MINI EXCAVATOR, 88 HRS.....\$CALL
 STK#: SAN344, 24.4hp, TIER 4 FINAL, STICK LENGTH 4'7", AUX HYDRAULICS, 12" RUBER TRACKS, MAX DIG DEPTH 10'2", MAX REACH AT GROUND LEVEL 17'11", OPERATING WEIGHT 8,499 lbs, TRANSPORT WIDTH 5'8", EROPS W/ HEAT & AC.

2025 SANY SY50 MINI EXCAVATOR, 11 HRS.....\$CALL
 STK#: SAN395, 37.1 HP YANMAR 4TNV88C DIESEL ENGINE, CAB W/ HEAT & A/C, ARM LENGTH: 4' 11", BOOM LENGTH: 8' 10", MAX DIGGING DEPTH: 11' 3", MAX REACH AT GROUND LEVEL: 19' 3", PATTERN CONTROL CHANGER, RADIO W/ BLUETOOTH, DOZER BLADE, WORK LIGHTS, RUBBER TRACKS, TRANSPORT WIDTH: 6' 5", OPERATING WEIGHT: 11,684 LBS.

2022 SANY SY80U EXCAVATOR, 507 HRS.....\$97,000
 STK#: SAN245, 73 HP DIESEL ENGINE 4TNV98CT, CAB W/ HEAT & A/C, STICK LENGTH 6'9", 27 GPM MAX OPERATING FLOW, 18" RUBBER TRACKS, BACKFILL BLADE, MAX DIG DEPTH: 14'10.5", MAX REACH AT GROUND LEVEL: 23'11", OPERATING WEIGHT: 19,401 LBS, TRANSPORTATION WIDTH: 7'3".

2022 SANY SY80U EXCAVATOR, 323 HRS.....\$89,000
 STK#: SAN321, 73 HP DIESEL ENGINE 4TNV98CT, CAB W/ HEAT & A/C, STICK LENGTH 6'9", 18" RUBBER TRACKS, MAX DIG DEPTH: 14'10.5", MAX REACH AT GROUND LEVEL: 23'11", OPERATING WEIGHT: 19,401 LBS, TRANSPORTATION WIDTH: 7'3".

WHEEL LOADERS

2024 SANY SW305K WHEEL LOADER, 345 HRS.....\$CALL
 STK#: SAN397, 162 HP, 3RD VALVE HYDRAULICS, 3.0 CU YD BUCKET CAPACITY, OPERATING WEIGHT 32,222 LBS, TRANSPORT WIDTH 6.71'.

2023 SANY SW305K WHEEL LOADER, 218 HRS.....\$CALL
 STK#: SAN233, 162 HP, 3RD VALVE HYDRAULICS, 3.0 CU YD BUCKET CAPACITY, OPERATING WEIGHT 32,222 LBS, TRANSPORT WIDTH 6.71'.

EXCAVATORS



2021 SY135C



2022 SY215C



2023 SY225C



2021 SY265C



2022 SY16C



2023 SY35U



2023 SY60C

TAKEUCHI

SKID LOADERS

2024 TAKEUCHI TV10V2-CRHRP SKID LOADER, 119 HRS.	\$CALL
TAK61, EROPS, 76" SMOOTH BUCKET, HIGH FLOW, RIDE CONTROL, PATTERN CHANGER.	
2024 TAKEUCHI TV10V2-CRHRP SKID LOADER, 177 HRS.	\$CALL
TAK64, 74 HP, EROPS W AC, PATTERN CHANGER, HIGH FLOW HYDRAULICS, 15.7" TRACKS, RIDE CONTROL, TIPPING LOAD: 7,205 LBS, OP WEIGHT: 9,950 LBS, TRANSPORTATION WIDTH: 5' 8.5", 76" SMOOTH BUCKET W BOLT ON BLADE.	
2024 TAKEUCHI TV10V2-CRHRP SKID LOADER, 70 HRS.	\$CALL
TAK65, 74 HP, EROPS W AC, PATTERN CHANGER, HIGH FLOW HYDRAULICS, 15.7" TRACKS, RIDE CONTROL, TIPPING LOAD: 7,205 LBS, OP WEIGHT: 9,950 LBS, TRANSPORTATION WIDTH: 5' 8.5", 76" SMOOTH BUCKET W BOLT ON BLADE.	
2022 TAKEUCHI TL12R2 CR TRACK SKID LOADER, 1107 HRS.	\$65,000
TAK36, 111 HP DIESEL ENGINE, EROP, 17.7" TRACKS, TIPPING LOAD: 8,629 LBS, OPERATING WEIGHT: 12,590 LBS, TRANSPORTATION WIDTH: 6' 5".	
2022 TAKEUCHI TL12V2 CRHR TRACK SKID LOADER, 877 HRS.	\$79,000
TAK43, 111 HP DIESEL ENGINE, 17.7" TRACKS, TIPPING LOAD: 11,737 LBS, OPERATING WEIGHT: 13,190 LBS, TRANSPORTATION WIDTH: 6' 5", 84" BUCKET.	
2022 TAKEUCHI TL12R2 CR TRACK SKID LOADER, 951 HRS.	\$69,000
TAK46, 111 HP DIESEL ENGINE, EROPS, 17.7" TRACKS, TIPPING LOAD: 8,629 LBS, OPERATING WEIGHT: 12,590 LBS, TRANSPORTATION WIDTH: 6' 5", 84" SMOOTH BUCKET.	
2022 TAKEUCHI TL12V2-CRHR TRACK SKID LOADER, 675 HRS.	\$85,000
TAK51, 111 HORSEPOWER, 17.7" STANDARD RUBBER TRACKS, RIDE CONTROL, MULTI FUNTION COLOR MONITOR, PILOT CONTROLS, UNIVERSAL COUPLER, HI FLOW AUX HYDRAULICS/1-2 WAY FLOW, VERTICAL BOOM DESIGN, BACK UP CAMERA, 84" HD TOOTH BUCKET.	
2024 TAKEUCHI TL6R SKID LOADER, 16 HRS.	\$49,000
TAK58, 65 HP DIESEL ENGINE, OROPS, 12.6" RUBBER TRACKS, 67" BUCKET, TIPPING LOAD: 5,269 LBS, OPERATING WEIGHT: 7,485 LBS, TRANSPORTATION WIDTH: 5'.	
2024 TAKEUCHI TL6R SKID LOADER, 77 HRS.	\$49,000
TAK54, 65 HP DIESEL ENGINE, OROPS, 12.6" RUBBER TRACKS, 67" BUCKET, TIPPING LOAD: 5,269 LBS, OPERATING WEIGHT: 7,485 LBS, TRANSPORTATION WIDTH: 5'.	
2024 TAKEUCHI TL6R SKID LOADER, 38 HRS.	\$55,000
TAK57, 65 HP DIESEL ENGINE, OROPS, 12.6" RUBBER TRACKS, 67" BUCKET, TIPPING LOAD: 5,269 LBS, OPERATING WEIGHT: 7,485 LBS, TRANSPORTATION WIDTH: 5'	

SKID LOADERS



2024 TV10V2-CRHRP



2022 TL12V2 CRHR



2024 TL6R

TORO

SKID LOADERS

2025 TORO TX-1000WT, 19 HRS.	\$CALL
STK#: TOR58, 24.7 HP YANMAR® 3TNV80FT TURBO DIESEL, EMISSIONS: TIER 4 & EU STAGE 5, OPERATING CAPACITY: 1,000 LBS, LENGTH: 104 INCHES, WIDTH: 42.2 INCHES, GROUND CLEARANCE: 5.9 INCHES	
2025 TORO TX-1000WT, 11 HRS.	\$CALL
STK#: TOR59, 24.7 HP YANMAR® 3TNV80FT TURBO DIESEL, EMISSIONS: TIER 4 & EU STAGE 5, OPERATING CAPACITY: 1,000 LBS, LENGTH: 104 INCHES, WIDTH: 42.2 INCHES, GROUND CLEARANCE: 5.9 INCHES	
2024 TORO TX1000, 72 HRS.	\$CALL
STK#: TOR57, 24.7 HP YANMAR® 3TNV80FT TURBO DIESEL, EMISSIONS: TIER 4 & EU STAGE 5, OPERATING CAPACITY: 1,000 LBS, LENGTH: 104 INCHES, WIDTH: 42.2 INCHES, GROUND CLEARANCE: 5.9 INCHES.	
2023 TORO TX1000 DINGO WIDE TRACK, 146 HRS.	\$46,000
STK#: TOR50, D1305 24.9HP DIESEL ENGINE, OPERATING WEIGHT 2,790LBS, OVERALL WIDTH 41", LIFT CAPACITY AT 35% 1,075LBS, GROUND SPEED 4.7MPH, DUMP HEIGHT 61", GROUND PRESSURE 3.6PSI.	
2022 TORO DINGO TX1000 WIDE TRACK 42" SMOOTH BUCKET, 92 HRS.	\$45,000
STK#: TOR40, D1305 24.9HP DIESEL ENGINE, OPERATING WEIGHT 2,790LBS, OVERALL WIDTH 41", LIFT CAPACITY AT 35% 1,075LBS, GROUND SPEED 4.7MPH, DUMP HEIGHT 61", GROUND PRESSURE 3.6PSI.	
2020 TORO DINGO TX1000 MINI TRACK LOADER, 809 HRS.	\$29,500
STK#: TOR52, D1305 24.9 DIESEL ENGINE, OPERATING WEIGHT 2,790 LBS, OVERAL WIDTH 41", LIFTING CAPACITY AT 35% 1,075 LBS, GROUND SPEED 4.7 MPH, DUMP HEIGHT 61", GROUND PRESSURE 3.6 PSI, AUX HYDRAULICS, MECHANICAL COUPLER, RUBBER TRACKS, 44" GP BUCKET.	
2022 TORO DINGO TX1300, 57 HRS.	\$CALL
STK#: TOR53, 46" BUCKET.	

VOLVO

WHEEL LOADERS

2015 VOLVO L90H WHEEL LOADER, 16914 HRS.	\$42,000
STK#: VOL56	

MINI EXCAVATORS

2023 YANMAR VIO35-6A MINI EXCAVATOR	\$63,500
STK#: YAN29, YANMAR 24HP DIESEL ENGINE, EROPS W AC, 12" RUBBER TRACKS, MAX DIG DEPTH: 11' 3", OPERATING WEIGHT: 8,214 LBS, TRANSPORTATION WIDTH: 5' 9".	
2023 YANMAR VIO35-6A MINI EXCAVATOR	\$63,500
STK#: YAN30, YANMAR 24HP DIESEL ENGINE, EROPS W AC, 12" RUBBER TRACKS, MAX DIG DEPTH: 11' 3", OPERATING WEIGHT: 8,214 LBS, TRANSPORTATION WIDTH: 5' 9".	
2023 YANMAR VIO35-6A MINI EXCAVATOR, 128 HRS.	\$63,500
STK#: YAN31, YANMAR 24HP DIESEL ENGINE, EROPS W AC, 12" RUBBER TRACKS, MAX DIG DEPTH: 11' 3", OPERATING WEIGHT: 8,214 LBS, TRANSPORTATION WIDTH: 5' 9".	
2023 YANMAR VIO35-6A MINI EXCAVATOR, 3 HRS.	\$63,500
STK#: YAN32, YANMAR 24HP DIESEL ENGINE, EROPS W AC, 12" RUBBER TRACKS, MAX DIG DEPTH: 11' 3", OPERATING WEIGHT: 8,214 LBS, TRANSPORTATION WIDTH: 5' 9".	
2025 YANMAR VIO35-6A MINI EXCAVATOR, 7 HRS.	\$CALL
STK#: YAN62, YANMAR 24HP DIESEL ENGINE, EROPS W AC, 12" RUBBER TRACKS, MAX DIG DEPTH: 11' 3", OPERATING WEIGHT: 8,214 LBS, TRANSPORTATION WIDTH: 5' 9", HYDRAULIC THUMB.	
2025 YANMAR VIO35-6A MINI EXCAVATOR, 2 HRS.	\$CALL
STK#: YAN67, YANMAR 24HP DIESEL ENGINE, EROPS W AC, 12" RUBBER TRACKS, MAX DIG DEPTH: 11' 3", OPERATING WEIGHT: 8,214 LBS, TRANSPORTATION WIDTH: 5' 9", HYDRAULIC THUMB.	
2023 YANMAR VIO35-6A MINI EXCAVATOR, 3 HRS.	\$CALL
STK#: YAN69, YANMAR 24HP DIESEL ENGINE, EROPS W AC, 12" RUBBER TRACKS, MAX DIG DEPTH: 11' 3", OPERATING WEIGHT: 8,214 LBS, TRANSPORTATION WIDTH: 5' 9", HYDRAULIC THUMB.	
2023 YANMAR SV40 MINI EXCAVATOR, 67 HRS.	\$69,000
STK#: YAN26, YANMAR 39 HP DIESEL ENGINE, MAX DIG DEPTH: 11' 10", OPERATING WEIGHT: 9,515 LBS, TRANSPORTATION WIDTH: 5' 8", HYDRAULIC THUMB.	
2023 YANMAR SV40 MINI EXCAVATOR, 38 HRS.	\$65,000
STK#: YAN28, YANMAR 39 HP DIESEL ENGINE, MAX DIG DEPTH: 11' 10", OPERATING WEIGHT: 9,515 LBS, TRANSPORTATION WIDTH: 5' 8", HYDRAULIC THUMB.	
2023 YANMAR VIO80 MINI EXCAVATOR, 411 HRS.	\$99,000
STK#: YAN36, EROPS W AC, RUBBER TRACKS, MAX DIG DEPTH: 14.5', OPERATING WEIGHT: 17,780 LBS, TRANSPORTATION WIDTH: 90", QUICK COUPLER, THUMB.	

EXCAVATORS

2025 YANMAR SV100-7 EXCAVATOR, 13 HRS.	\$CALL
STK#: YAN86, EROPS W AC, PTO2, THUMB KIT, 36" TRENCH BUCKET.	
2025 YANMAR SV100-7 EXCAVATOR, 5 HRS.	\$CALL
STK#: YAN87, EROPS W AC, PTO2, THUMB KIT, 36" TRENCH BUCKET.	
2025 YANMAR SV100-7 EXCAVATOR, 26 HRS.	\$CALL
STK#: YAN88, EROPS W AC, PTO2, THUMB KIT, 36" TRENCH BUCKET.	

SKID LOADERS

2024 YANMAR TL100VS SKID LOADER, 9 HRS.	\$CALL
STK#: YAN44, 103.5 HP DIESEL ENGINE, ALL WEATHER CAB, PILOT CONTROLS, HIGH FLOW AUX HYDRAULICS, 17.7" TRACKS, TIPPING LOAD: 10,800 LBS, OPERATING WEIGHT: 10,835 LBS, TRANSPORTATION WIDTH: 78".	
2025 YANMAR TL100VS SKID LOADER, 5 HRS.	\$CALL
STK#: YAN72, 103.5 HP YANMAR 4TNV94FHT DIESEL ENGINE, ALL WEATHER CAB W/ HEAT & A/C, TRACK WIDTH 17.7 IN, PILOT CONTROLS, HIGH FLOW AUX HYDRAULICS, MECHANICAL SUSPENSION SEAT, 7-IN. COLOR DISPLAY SCREEN, OPERATING WEIGHT: 10,835 LBS, TRANSPORTATION WIDTH: 78"	
2025 YANMAR TL100VS SKID LOADER, 3 HRS.	\$CALL
STK#: YAN73, 103.5 HP YANMAR 4TNV94FHT DIESEL ENGINE, ALL WEATHER CAB W/ HEAT & A/C, TRACK WIDTH 17.7 IN, PILOT CONTROLS, HIGH FLOW AUX HYDRAULICS, MECHANICAL SUSPENSION SEAT, 7-IN. COLOR DISPLAY SCREEN, OPERATING WEIGHT: 10,835 LBS, TRANSPORTATION WIDTH: 78"	
2025 YANMAR TL100VS TRACK LOADER, 3 HRS.	\$CALL
STK#: YAN89, 103.5 HP YANMAR 4TNV94FHT DIESEL ENGINE, ALL WEATHER CAB W/ HEAT & A/C, TRACK WIDTH 17.7 IN, PILOT CONTROLS, HIGH FLOW AUX HYDRAULICS, MECHANICAL SUSPENSION SEAT, 7-IN. COLOR DISPLAY SCREEN, OPERATING WEIGHT: 10,835 LBS, TRANSPORTATION WIDTH: 78"	
2025 YANMAR TL65RS TRACK SKID LOADER, 2 HRS.	\$CALL
STK#: YAN49, 67 HP DIESEL 4-CYLINDER, CAB W/ HEAT & A/C, AIR RIDE SEAT, TWO SPEED, HIGH FLOW, BLOCK HEATER, RATED CAPACITY: 2,100 LBS, OPERATING WEIGHT: 8,915 LBS, 67" DIRT BUCKET W/ BOLT ON CUTTING EDGE.	
2025 YANMAR TL65RS TRACK SKID LOADER, 23 HRS.	\$CALL
STK#: YAN50, 67 HP DIESEL 4-CYLINDER, CAB W/ HEAT & A/C, AIR RIDE SEAT, TWO SPEED, HIGH FLOW, BLOCK HEATER, RATED CAPACITY: 2,100 LBS, OPERATING WEIGHT: 8,915 LBS, 67" DIRT BUCKET W/ BOLT ON CUTTING EDGE.	
2025 YANMAR TL75VS TRACK SKID LOADER, 3 HRS.	\$CALL
STK#: YAN90, AWC PREMIUM PLUS HYDRAULICS, HIGH FLOW, RADIO W/ USB & BLUETOOTH, MECHANICAL SUSPENSION SEAT, ADJUSTABLE PILOT CONTROLS, 7" COLOR DELUXE DISPLAY W/ BACK UP CAMERA, RIDE CONTROL, 74HP YANMAR 4TN86CHT DIESEL ENGINE, 78" DIRT BUCKET W/ BOLT ON CUTTING EDGE.	
2025 YANMAR TL75VS TRACK SKID LOADER, 0 HRS.	\$CALL
STK#: YAN92, AWC PREMIUM PLUS HYDRAULICS, HIGH FLOW, RADIO W/ USB & BLUETOOTH, MECHANICAL SUSPENSION SEAT, ADJUSTABLE PILOT CONTROLS, 7" COLOR DELUXE DISPLAY W/ BACK UP CAMERA, RIDE CONTROL, 74HP YANMAR 4TN86CHT DIESEL ENGINE, 78" DIRT BUCKET W/ BOLT ON CUTTING EDGE.	
2025 YANMAR TL75VS TRACK SKID LOADER, 0 HRS.	\$CALL
STK#: YAN93, AWC PREMIUM PLUS HYDRAULICS, HIGH FLOW, RADIO W/ USB & BLUETOOTH, MECHANICAL SUSPENSION SEAT, ADJUSTABLE PILOT CONTROLS, 7" COLOR DELUXE DISPLAY W/ BACK UP CAMERA, RIDE CONTROL, 74HP YANMAR 4TN86CHT DIESEL ENGINE, 78" DIRT BUCKET W/ BOLT ON CUTTING EDGE.	
2025 YANMAR TL100VS TRACK SKID LOADER, 11 HRS.	\$CALL
STK#: YAN94, 103.5 HP YANMAR 4TNV94FHT DIESEL ENGINE, ALL WEATHER CAB W/ HEAT & A/C, TRACK WIDTH 17.7 IN, PILOT CONTROLS, HIGH FLOW AUX HYDRAULICS, MECHANICAL SUSPENSION SEAT, 7-IN. COLOR DISPLAY SCREEN, OPERATING WEIGHT: 10,835 LBS, TRANSPORTATION WIDTH: 78"	

OUR LOCATIONS

